


HSS-E spiebaanfrezen

Kort model, 2 snijkanten

Type 731 Weldon opname



2018

Uitvoering	Materiaal	Diameter tolerantie
Din 327	HSS-E	e8/h10

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Bruto prijs	Voorraad
0473100100	1,00	6	2	47	29,13	x
0473100150	1,50	6	3	47	20,55	x
0473100200	2,00	6	4	48	14,18	x
0473100250	2,50	6	5	49	15,70	x
0473100280	2,80	6	5	49	10,51	x
0473100300	3,00	6	5	49	10,51	x
0473100350	3,50	6	6	50	16,46	x
0473100400	4,00	6	7	51	10,51	x
0473100450	4,50	6	7	51	15,20	x
0473100480	4,80	6	7	51	10,51	x
0473100500	5,00	6	8	52	16,85	x
0473100550	5,50	6	8	52	16,85	x
0473100600	6,00	6	8	52	10,51	x
0473100650	6,50	10	10	60	17,87	x
0473100700	7,00	10	10	60	16,97	x
0473100750	7,50	10	10	60	39,35	x
0473100800	8,00	10	11	61	14,18	x
0473100850	8,50	10	11	61	23,04	x
0473100900	9,00	10	11	61	19,63	x
0473100950	9,50	10	11	61	23,68	x
0473100970	9,70	10	11	61	16,40	x
0473101000	10,00	10	13	63	15,83	x
0473101050	10,50	12	13	70	27,23	x
0473101100	11,00	12	13	70	27,23	x
0473101150	11,50	12	13	73	32,29	x
0473101170	11,70	12	13	73	16,40	x
0473101200	12,00	12	16	73	22,92	x
0473101250	12,50	12	16	72	16,40	x
0473101270	12,70	12	16	73	16,40	x
0473101300	13,00	12	16	73	32,29	x
0473101400	14,00	12	16	73	30,39	x
0473101500	15,00	12	16	73	37,99	x
0473101600	16,00	16	19	79	37,36	x
0473101700	17,00	16	19	79	43,06	x
0473101800	18,00	16	19	79	44,32	x
0473101900	19,00	16	19	79	50,32	x
0473102000	20,00	20	22	88	51,29	x
0473102200	22,00	20	22	88	74,72	x
0473102400	24,00	25	26	102	110,17	x
0473102500	25,00	25	26	102	93,71	x


* v : artikelen op voorraad.

x : artikelen met 2-3 werkdagen levertijd.

HSS-E spiebaanfrezen

Lang model, 2 snijkanten

Type 765 Weldon opname



Uitvoering	Materiaal	Diameter tolerantie
Din 844	HSS-E	e8/h10

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Bruto prijs	Voorraad
0476500300	3,00	6	8	52	16,46	x
0476500350	3,50	6	10	54	18,49	x
0476500400	4,00	6	11	55	15,95	x
0476500450	4,50	6	11	55	18,49	x
0476500500	5,00	6	13	57	15,95	x
0476500550	5,50	6	13	57	20,39	x
0476500600	6,00	6	13	57	15,83	x
0476500700	7,00	10	16	66	24,19	x
0476500800	8,00	10	19	69	20,65	x
0476501000	10,00	10	22	72	19,00	x
0476501100	11,00	12	22	79	37,36	x
0476501200	12,00	12	26	83	25,33	x
0476501300	13,00	12	26	83	48,12	x
0476501400	14,00	12	26	83	41,79	x
0476501500	15,00	12	26	83	51,29	x
0476501600	16,00	16	32	92	40,52	x
0476501800	18,00	16	32	92	56,99	x
0476502000	20,00	20	32	104	59,52	x

HSS-E 3-snijder frezen

Kort model, 3 snijkanten

Type 718 Weldon opname



Uitvoering	Materiaal	Diameter tolerantie
Din 327	HSS-E	e8/h10


Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Bruto prijs	Voorraad
0471800300	3,00	6	5	49	12,28	x
0471800400	4,00	6	7	51	12,28	x
0471800500	5,00	6	8	52	12,03	x
0471800600	6,00	6	8	52	11,78	x
0471800700	7,00	10	10	60	19,75	x
0471800800	8,00	10	11	61	15,70	x
0471801000	10,00	10	13	63	16,97	x
0471801200	12,00	12	16	73	25,20	x
0471801400	14,00	12	16	73	33,56	x
0471801600	16,00	16	19	79	40,52	x
0471801800	18,00	16	19	79	48,75	x
0471802000	20,00	20	22	88	55,72	x
0471802200	22,00	20	22	88	120,30	x
0471802500	25,00	25	26	102	131,70	x
0471803000	30,00	25	26	102	217,81	x

HSS-E vingerfrezen

Kort model, 4/6 snijkanten

Type 721 Weldon opname



2018

Uitvoering	Materiaal	Diameter tolerantie
Din 844	HSS-E	k10

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Aantal tanden	Bruto prijs	Voorraad
0472100200	2,00	6	7	51	4	22,29	x
0472100250	2,50	6	8	52	4	25,20	x
0472100300	3,00	6	8	52	4	14,18	x
0472100350	3,50	6	10	54	4	16,71	x
0472100400	4,00	6	11	55	4	13,81	x
0472100450	4,50	6	11	55	4	16,71	x
0472100500	5,00	6	13	57	4	13,81	x
0472100550	5,50	6	13	57	4	17,22	x
0472100600	6,00	6	13	57	4	13,81	x
0472100650	6,50	10	16	66	4	21,91	x
0472100700	7,00	10	16	66	4	19,63	x
0472100750	7,50	10	16	66	4	23,68	x
0472100800	8,00	10	19	69	4	19,00	x
0472100850	8,50	10	19	69	4	23,04	x
0472100900	9,00	10	19	69	4	20,39	x
0472100950	9,50	10	19	69	4	23,04	x
0472101000	10,00	10	22	72	4	17,85	x
0472101100	11,00	12	22	72	4	28,49	x
0472101200	12,00	12	26	83	4	24,19	x
0472101300	13,00	12	26	83	4	46,86	x
0472101400	14,00	12	26	83	4	43,06	x
0472101500	15,00	12	26	83	4	51,92	x
0472101600	16,00	16	32	92	4	37,36	x
0472101800	18,00	16	32	92	4	52,55	x
0472102000	20,00	20	38	104	4	53,82	x
0472102200	22,00	20	38	104	6	82,31	x
0472102400	24,00	25	45	121	6	105,11	x
0472102500	25,00	25	45	121	6	102,58	x
0472102600	26,00	25	45	121	6	113,97	x
0472102800	28,00	25	45	121	6	117,77	x
0472103000	30,00	25	45	121	6	153,23	x
0472103200	32,00	32	53	133	6	146,90	x


Perfect Tool



HSS-E spiebaanfrezen

Lang model, 4/6 snijkanten

Type 741 Weldon opname



2018

Uitvoering	Materiaal	Diameter tolerantie
Din 844 L	HSS-E	k10

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Aantal tanden	Bruto prijs	Voorraad
0474100300	3,00	6	12	56	4	24,69	x
0474100400	4,00	6	19	63	4	22,41	x
0474100500	5,00	6	24	68	4	21,78	x
0474100600	6,00	6	24	68	4	21,53	x
0474100700	7,00	10	30	80	4	35,46	x
0474100800	8,00	11	38	88	4	29,76	x
0474100900	9,00	12	38	88	4	35,46	x
0474101000	10,00	13	45	95	4	29,76	x
0474101100	11,00	12	45	102	4	49,39	x
0474101200	12,00	13	53	110	4	41,16	x
0474101400	14,00	14	53	110	4	60,15	x
0474101500	15,00	15	53	110	4	83,58	x
0474101600	16,00	16	63	123	4	70,92	x
0474101800	18,00	16	63	123	4	91,18	x
0474102000	20,00	20	75	141	4	79,78	x
0474102500	25,00	25	90	166	6	131,70	x
0474102800	28,00	25	90	166	6	169,69	x
0474103000	30,00	25	90	166	6	235,54	x
0474103200	32,00	32	106	186	6	283,66	x
0474104000	40,00	40	125	217	6	458,42	x

* v : artikelen op voorraad.

x : artikelen met 2-3 werkdagen levertijd.

HSS-E spiebaanfrezen

Kort model, 4/6 snijkanten

Type 781 Weldon opname



Uitvoering	Materiaal	Diameter tolerantie
Din 844 L	HSS-E	k12

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Aantal tanden	Bruto prijs	Voorraad
0478100600	6,00	6	13	57	3	24,69	x
0478100700	7,00	10	16	66	3	35,46	x
0478100800	8,00	10	19	69	3	27,23	x
0478100900	9,00	10	19	69	3	37,36	x
0478101000	10,00	10	22	72	4	26,59	x
0478101100	11,00	12	22	79	4	48,12	x
0478101200	12,00	12	26	83	4	33,56	x
0478101400	14,00	12	26	83	4	39,26	x
0478101500	15,00	12	26	83	4	54,45	x
0478101600	16,00	16	32	92	4	44,32	x
0478101800	18,00	16	32	92	4	52,55	x
0478102000	20,00	20	38	104	4	60,15	x
0478102200	22,00	20	38	104	4	108,91	x
0478102400	24,00	25	45	121	4	141,83	x
0478102500	25,00	25	45	121	4	110,17	x
0478102600	26,00	25	45	121	4	188,69	x
0478102800	28,00	25	45	121	4	167,16	x
0478103000	30,00	25	45	121	4	189,95	x
0478103200	32,00	32	53	133	4	198,82	x
0478104000	40,00	40	63	155	6	352,00	x
0478105000	50,00	50	75	177	8	747,00	x

HSS-E spiebaanfrezen

Lang model, 4/6 snijkanten

Type 770 Weldon opname



Uitvoering	Materiaal	Diameter tolerantie
Din 844 L	HSS-E	k12

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Aantal tanden	Bruto prijs	Voorraad
0477000600	6,00	6	24	68	3	43,06	x
0477000700	7,00	10	30	88	3	49,39	x
0477000800	8,00	10	38	88	3	41,16	x
0477000900	9,00	10	38	88	4	55,72	x
0477001000	10,00	10	45	95	4	38,62	x
0477001200	12,00	12	53	110	4	52,55	x
0470001400	14,00	12	53	110	4	59,52	x
0477001600	16,00	16	63	123	4	62,68	x
0470001800	18,00	16	63	123	4	87,38	x
0470002000	20,00	20	75	141	4	86,11	x
0470002200	22,00	20	75	141	4	162,09	x
0470002500	25,00	25	90	166	4	170,96	x
0477002800	28,00	25	90	166	4	217,81	x
0477003200	32,00	32	106	186	4	276,00	x
0477003600	36,00	32	106	186	6	327,00	x

* v : artikelen op voorraad.

x : artikelen met 2-3 werkdagen levertijd.

VHM 3-snijder frezen Type 831 cilindrisch



Uitvoering	Materiaal	Diameter tolerantie
Din 6527 L	VHM	h10

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Bruto prijs	Voorraad
1583100300	3,00	6	7	57	27,23	x
1583100350	3,50	6	7	57	29,95	x
1583100400	4,00	6	8	57	27,23	x
1583100500	5,00	6	10	57	27,23	x
1583100600	6,00	6	10	57	27,23	x
1583100700	7,00	8	13	63	37,99	x
1583100800	8,00	8	16	63	36,08	x
1583101000	10,00	10	19	72	51,73	x
1583101200	12,00	12	22	83	77,60	x
1583101600	16,00	16	26	92	133,41	x
1583102000	20,00	20	32	104	209,64	x

VHM 3-snijder frezen Type 841 cilindrisch



Uitvoering	Materiaal	Diameter tolerantie
Din 6527 L	VHM	h10

Verpakking: per stuk.

Artikel nummer	Diameter mm	Schacht mm	Snij lengte	Totale lengte	Bruto prijs	Voorraad
1584100300	3,00	6	8	57	23,12	x
1584100350	3,50	6	10	57	23,12	x
1584100400	4,00	6	11	57	23,12	x
1584100450	4,50	6	11	57	23,12	x
1584100500	5,00	6	13	57	23,12	x
1584100550	5,50	6	13	57	23,12	x
1584100600	6,00	6	13	57	23,12	x
1584100650	6,50	8	16	63	31,35	x
1584100700	7,00	8	16	63	31,35	x
1584100750	7,50	8	19	63	31,35	x
1584100800	8,00	8	19	63	31,35	x
1584100850	8,50	10	19	72	72,21	x
1584100900	9,00	10	19	72	72,21	x
1584100950	9,50	10	22	72	72,21	x
1584101000	10,00	10	22	72	50,32	x
1584101100	11,00	12	26	83	72,21	x
1584101200	12,00	12	26	83	72,21	x
1584101400	14,00	14	26	83	92,64	x
1584101600	16,00	16	32	92	128,56	x
1584101800	18,00	18	32	92	169,20	x
1584102000	20,00	20	38	104	215,13	x
1584102500	25,00	25	45	121	215,13	x

HSS-Co T-Frees Type 728 Weldon opname



Uitvoering	Materiaal	Diameter tolerantie
DIN 851	Hss-Co	d11

Verpakking: per stuk.

Artikel nummer	Voor sleuven	Diameter mm	Snij lengte	Totale lengte	Aantal tanden	Bruto prijs	Voorraad
0472801250	6,00	12,50	6	57	3	82,31	x
0472801600	8,00	16,00	8	62	3	105,11	x
0472801800	10,00	18,00	8	70	3	121,57	x
0472801900	10,00	19,00	9	71	3	135,50	x
0472802100	12,00	21,00	9	74	4	127,90	x
0472802200	12,00	22,00	10	75	4	144,37	x
0472802500	14,00	25,00	11	82	4	176,02	x
0472802800	16,00	28,00	12	85	4	205,15	x
0472803200	18,00	32,00	14	90	4	211,48	x

HSS-Co Kwartholfrees Type 729 Weldon opname



Uitvoering	Materiaal	Diameter tolerantie
DIN 6518	Hss-Co	n.v.t.

Verpakking: per stuk.

Artikel nummer	Rhadius mm	Schacht mm	Snij lengte	Totale lengte	Aantal tanden	Bruto prijs	Voorraad
0472900200	2,00	10	10	60	4	81,05	x
0472900250	2,50	10	11	60	4	88,65	x
0472900300	3,00	12	12	60	4	81,05	x
0472900400	4,00	12	14	60	4	86,11	x
0472900500	5,00	12	16	60	4	100,04	x
0472900600	6,00	16	20	67	4	105,11	x
0472900800	8,00	16	24	71	4	119,04	x
0472901000	10,00	25	28	85	4	164,63	x
0472901200	12,00	25	34	90	4	215,28	x
0472901600	16,00	25	48	100	6	453,00	x
0472902000	20,00	32	56	112	6	593,00	x